



Catalogue Insulated - PED

PETUNIALAAN 5
5582 HA WAALRE
THE NETHERLANDS


**BREWERY
FRESH
BEER**

DOUBLE WALL SYSTEM

45° NW 25 - PED
Standard range

Catalogue

Component build up standard insulated Duotank Bag In tank system:



Cooler, pump & air compressor:

Cooler (3/4 HP)

Art.nr.: 00022020

Price:



Pump (Grundfoss SPK5-2)

Art.nr.: 00019977

Price:



DAC 25 Compressor

Art.nr.: 00022091-1



beer manifolds:

NW80

1 exit 5/8"

Art.nr.: 00021788



NW80

2 exits 5/8"

Art.nr.: 00005938



NW80

4 exits 5/8"

Art.nr.: 00005940



NW100

6 exits 5/8"

Art.nr.: 00005957

More / less exits or different connections upon request
Cooled beer manifolds upon request

Subject to change. No liability is accepted for printing errors

2.5 HL INSULATED

45° NW 25 - PED
Standard range

Catalogue

Tank versions: (tank images only as reference)



Ø 630

Poly urethane

Art.nr.: 00014756

Weight: 50 KG



Ø 630

Stainless steel

Art.nr.: 00020091

Weight: 90 KG



Ø 630

Painted copper

Art.nr.: 00020091-1

Weight: 92 KG



Ø 630

Copper old look

Art.nr.: 00023621-30

Weight: 95 KG



Ø 630

Copper polished

Art.nr.: 00023621-10

Weight: 95 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 00015677

Minimum quantity:

p/20:

p/p





Piercing unit

Art.nr.: 00005917

Frames

1A

Weight: 7 KG





Pearlbl. stainl. steel
Art.nr.: 00017408



Painted black
Art.nr.: 00017408-3

1H

Weight: 15 KG





Pearlbl. stainl. steel
Art.nr.: 00023720-1



Painted black
Art.nr.: 00023720-3

2A

Weight: 17 KG



Pearlbl. stainl. steel
Art.nr.: 00017410



Painted black
Art.nr.: 00017410-3

2.5 HL INSULATED


45° NW 25 - PED
Standard range

Catalogue

Frames

3A

Weight: 25 KG



Pearl bl. stainl. steel


Art.nr.: 00020094

Painted black

Art.nr.: 00020094-3

3AA

Weight: 46 KG



Pearl bl. stainl. steel

Art.nr.: 00020095

Painted black

Art.nr.: 00020095-3

Subject to change. No liability is accepted for printing errors

2.5 HL INSULATED DB

45° NW 25 - PED
Standard range

Catalogue

Tank versions: (tank images only as reference)



Ø 700

Poly urethane

Art.nr.: 10006041

Weight: 48 KG



Ø 700

Stainless steel

Art.nr.: 10006042

Weight: 84 KG



Ø 700

Painted copper

Art.nr.: 10006042-1

Weight: 86 KG



Ø 700

Copper old look

Art.nr.: 10006043-30

Weight: 89 KG



Ø 700

Copper polished

Art.nr.: 10006043-10

Weight: 89 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 10006222





Piercing unit

Art.nr.: 00005917

Frames

1A

Weight: 7 KG





Pearlbl. stainl. steel
Art.nr.: 00015671



Painted black
Art.nr.: 00015671-3

1H

Weight: 15 KG





Pearlbl. stainl. steel
Art.nr.: 00022379-1
Price:



Painted black
Art.nr.: 00022379-3

2A

Weight: 17 KG



Pearlbl. stainl. steel
Art.nr.: 00015672



Painted black
Art.nr.: 00015672-3

2.5 HL INSULATED DB



45° NW 25 - PED
Standard range

Catalogue

Frames

3A

Weight: 25 KG



Pearlbl. stainl. steel

Art.nr.: 00015800





Painted black

Art.nr.: 00015800-3

3AA

Weight: 46 KG



Pearlbl. stainl. steel

Art.nr.: 10006334



Painted black


Art.nr.: 10006334-3

Subject to change. No liability is accepted for printing errors


2.5 HL DOUBLE WALL VERT. | 45° NW 25 - PED Standard range

Catalogue

Tank versions: *(tank images only as reference)*



Stainless steel
Art.nr.: 10006029
Weight: 100 KG



Stainl. steel with sight glass
Art.nr.: 10002461
Weight: 103 KG



sight glass



extension tube
Art.nr.: 10003251

Painted copper
On request

Copper old look
On request

Copper polished
On request

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner


Art.nr.: 00015369




Piercing unit

Art.nr.: 00005917

Tank versions: *(tank images only as reference)*



Stainless steel
Art.nr.: 10002485
Weight: 95 KG



Painted copper
Art.nr.: 10002485-1
Weight: 97 KG



sight glass
Art.nr.: 10006030



extension tube
Art.nr.: 10003251

Copper old look
Art.nr.: 10002487-30
Weight: 100 KG

Copper polished
Art.nr.: 10002487-20
Weight: 100 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 00019700



Piercing unit

Art.nr.: 00005917

Subject to change. No liability is accepted for printing errors

5 HL INSULATED

45° NW 25 - PED
Standard range

Catalogue

Tank versions: *(tank images only as reference)*



Ø 700

Poly urethane

Art.nr.: 00014755

Weight: 72 KG



Ø 700

Stainless steel

Art.nr.: 00019559

Weight: 132 KG



Ø 700

Painted copper

Art.nr.: 00019559-1

Weight: 134 KG



Ø 700

Copper old look

Art.nr.: 00020092-30

Weight: 137 KG



Ø 700

Copper polished

Art.nr.: 00020092-10

Weight: 137 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 00006102

Minimum quantity:

p/20:

p/p





Piercing unit

Art.nr.: 00005917

Frames

1A

Weight: 7 KG



Pearlbl. stainl. steel

Art.nr.: 00015671





Painted black

Art.nr.: 00015671-3

1H

Weight: 15 KG



Pearlbl. stainl. steel

Art.nr.: 00022379-1

Price:





Painted black

Art.nr.: 00022379-3

2A

Weight: 17 KG



Pearlbl. stainl. steel

Art.nr.: 00015672



Painted black

Art.nr.: 00015672-3

5 HL INSULATED



45° NW 25 - PED
Standard range

Catalogue

Frames

3A

Weight: 25 KG



Pearlbl. stainl. steel



Art.nr.: 00015800

Painted black

Art.nr.: 00015800-3

3AA

Weight: 46 KG



Pearlbl. stainl. steel

Art.nr.: 00016347

Painted black

Art.nr.: 00016347-3

5 HL INSULATED DB

45° NW 25 - PED
Standard range

Catalogue

Tank versions: (tank images only as reference)



Ø 860

Poly urethane

Art.nr.: 10006046

Weight: 67 KG



Ø 860

Stainless steel

Art.nr.: 10006047

Weight: 106 KG



Ø 860

Painted copper

Art.nr.: 10006047-1

Weight: 108 KG



Ø 860

Copper old look

Art.nr.: 10006048-30

Weight: 111 KG



Ø 860

Copper polished

Art.nr.: 10006048-10

Weight: 111 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 00019375





Piercing unit

Art.nr.: 00005917

Frames

1A

Weight: 10 KG





Pearlbl. stainl. steel
Art.nr.: 00015675



Painted black
Art.nr.: 00015675-3

1H

Weight: 20 KG





Pearlbl. stainl. steel
Art.nr.: 10000134



Painted black
Art.nr.: 10000134-3

2A

Weight: 25 KG



Pearlbl. stainl. steel
Art.nr.: 00015676



Painted black
Art.nr.: 00015676-3

5 HL INSULATED DB


45° NW 25 - PED
Standard range

Catalogue

Frames

3A

Weight: 33 KG



Pearlbl. stainl. steel

Art.nr.: 00017369




Painted black

Art.nr.: 00017369-3

3AA

Weight: 60 KG



Pearlbl. stainl. steel

Art.nr.: 10005110

Price:



Painted black

Art.nr.: 10005110-3


Price:

5 HL INSULATED VERT.

45° NW 25 - PED
Standard range

Catalogue

Tank versions: *(tank images only as reference)*



Stainless steel
Art.nr.: 10002491
Weight: 160 KG

Painted copper
Art.nr.: 10002491-1
Weight: 162 KG

Copper old look
Art.nr.: 10002493-30
Weight: 165 KG

Copper polished
Art.nr.: 10002493-20
Weight: 165 KG



sight glass
Art.nr.: 10006030



extension tube
Art.nr.: 10003251

Accessories:

Safetyvalve 3 bar
Art.nr.: 00005987



Inliner
Art.nr.: 00006089
Minimum quantity:
p/20: p/p



Piercing unit
Art.nr.: 00005917

10 HL INSULATED

45° NW 25 - PED
Standard range

Catalogue

Tank versions: (tank images only as reference)



Ø 860

Poly urethane

Art.nr.: 00014750

Weight: 110 KG



Ø 860

Stainless steel

Art.nr.: 00019560

Weight: 181 KG



Ø 860

Painted copper

Art.nr.: 00019560-1

Weight: 183 KG



Ø 860

Copper old look

Art.nr.: 00020100-30

Weight: 186 KG



Ø 860

Copper polished

Art.nr.: 00020100-10

Weight: 186 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 00015678

Minimum quantity:

p/15:

p/p





Piercing unit

Art.nr.: 00005917

Frames

1A

Weight: 10 KG



Pearlbl. stainl. steel

Art.nr.: 00015675





Painted black

Art.nr.: 00015675-3

1H

Weight: 20 KG



Pearlbl. stainl. steel

Art.nr.: 10000134





Painted black

Art.nr.: 10000134-3

2A

Weight: 25 KG



Pearlbl. stainl. steel

Art.nr.: 00015676



Painted black

Art.nr.: 00015676-3

10 HL INSULATED


45° NW 25 - PED
Standard range

Catalogue

Frames

3A

Weight: 33 KG



Pearlbl. stainl. steel


Art.nr.: 00017369

Painted black

Art.nr.: 00017369-3

3AA

Weight: 64 KG



Pearlbl. stainl. steel

Art.nr.: 00020096

Painted black

Art.nr.: 00020096-3

Subject to change. No liability is accepted for printing errors