



Catalogue Single Wall - PED

PETUNIALAAN 5
5582 HA WAALRE
THE NETHERLANDS


BREWERY FRESH BEER

SINGLE WALL SYSTEM

45° NW 25 - PED
Standard range

Catalogue

Component build up standard Duotank Bag In tank system in cold room:



Single wall tanks (different sizes & finishes possible) manhole included

Inliner (1 per filling)

Safety valve (1 per tank)

Piercing unit (1 per tank) +
1 per installation to exchange for
cleaning purposes

Compressor (1 per installation)

beer manifold (1 per installation)

Frame (depending on tank
configuration)

cooler

Pump for cooling beerlines (pythons)

Cooler, pump & air compressor:

Cooler (3/4 HP)

Art.nr.: 00022020

Price:



Pump (Grundfoss SPK5-2)

Art.nr.: 00019977

Price:



DAC 25 Compressor

Art.nr.: 00022091-1



beer manifolds:

NW80

1 exit 5/8"

Art.nr.: 00021788



NW80

2 exits 5/8"

Art.nr.: 00005938



NW80

4 exits 5/8"

Art.nr.: 00005940



NW100

6 exits 5/8"

Art.nr.: 00005957

More / less exits or different connections upon request

Subject to change. No liability is accepted for printing errors

2.5 HL SINGLE WALL

45° NW 25 - PED
Standard range

Catalogue

Tank versions: (tank images only as reference)



Ø 550

Pearlbl. stainl. steel

Art.nr.: 00014841

Weight: 40 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 00015677

Minimum quantity:

p/20:

p/p





Piercing unit

Art.nr.: 00005917

Frames

1A

Weight: 7 KG





Pearlbl. stainl. steel

Art.nr.: 00017397

2A

Weight: 17 KG



Pearlbl. stainl. steel

Art.nr.: 00017406

Subject to change. No liability is accepted for printing errors

2.5 HL SINGLE WALL DB

45° NW 25 - PED
Standard range

Catalogue

Tank versions: (tank images only as reference)



Ø 630

Pearlbl. stainl. steel

Art.nr.: 10006040

Weight: 38 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 10006222






Piercing unit

Art.nr.: 00005917

Frames

1A

Weight: 7 KG





Pearlbl. stainl. steel

Art.nr.: 00015669

2A

Weight: 17 KG





Pearlbl. stainl. steel

Art.nr.: 00015670

3A

Weight: 25 KG




Pearlbl. stainl. steel

Art.nr.: 00016697

2.5 HL SINGLE WALL VERT. | 45° NW 25 - PED Standard range

Catalogue

Tank versions: (tank images only as reference)



sight glass
Art.nr.: 10006028



extension tube
Art.nr.: 10003251

Pearlbl. stainl. steel

Art.nr.: 10006026

Weight: 50 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner


Art.nr.: 00015369



Piercing unit

Art.nr.: 00005917

Tank versions: (tank images only as reference)



sight glass
Art.nr.: 10006028



extension tube
Art.nr.: 10003251

Pearlbl. stainl. steel

Art.nr.: 10002484

Weight: 49 KG

Painted copper

Art.nr.: 10002484-1

Weight: 51 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 00019700



Piercing unit

Art.nr.: 00005917

Subject to change. No liability is accepted for printing errors

5 HL SINGLE WALL

45° NW 25 - PED
Standard range

Catalogue

Tank versions: (tank images only as reference)



Ø 630

Pearlbl. stainl. steel

Art.nr.: 00014839

Weight: 63 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 00006102

Minimum quantity:

p/20:

p/p





Piercing unit

Art.nr.: 00005917

Frames

1A

Weight: 7 KG





Pearlbl. stainl. steel

Art.nr.: 00015669

2A

Weight: 17 KG



Pearlbl. stainl. steel

Art.nr.: 00015670

Subject to change. No liability is accepted for printing errors

5 HL SINGLE WALL



45° NW 25 - PED
Standard range

Catalogue

Frames

3A

Weight: 25 KG





Pearlbl. stainl. steel

Art.nr.: 00016697

3AA

Weight: 46 KG



Pearlbl. stainl. steel

Art.nr.: 00017089

5 HL SINGLE WALL DB

45° NW 25 - PED
Standard range

Catalogue

Tank versions: (tank images only as reference)



Ø 790

Pearlbl. stainl. steel

Art.nr.: 10006045

Weight: 57 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 00019375





Piercing unit

Art.nr.: 00005917

Frames

1A

Weight: 10 KG





Pearlbl. stainl. steel

Art.nr.: 00015673

2A

Weight: 25 KG



Pearlbl. stainl. steel

Art.nr.: 00015674

Subject to change. No liability is accepted for printing errors

5 HL SINGLE WALL DB


45° NW 25 - PED
Standard range

Catalogue

Frames

3A

Weight: 33 KG




Pearlbl. stainl. steel

Art.nr.: 00020093

3AA

Weight: 56 KG



Pearlbl. stainl. steel


Art.nr.: 00017647

5 HL SINGLE WALL VERT.

45° NW 25 - PED
Standard range

Catalogue

Tank versions: (tank images only as reference)



Pearlbl. stainl. steel

Art.nr.: 10002490

Weight: 73 KG

Painted copper

Art.nr.: 10002490-1

Weight: 75 KG



sight glass

Art.nr.: 10006028



extension tube

Art.nr.: 10003251

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 00006089

Minimum quantity:

p/20:

p/p



Piercing unit

Art.nr.: 00005917

10 HL SINGLE WALL

45° NW 25 - PED
Standard range

Catalogue

Tank versions: (tank images only as reference)



Ø 790

Pearlbl. stainl. steel

Art.nr.: 00014837

Weight: 98 KG

Accessories:

Safetyvalve 3 bar

Art.nr.: 00005987



Inliner

Art.nr.: 00015678

Minimum quantity:

p/15:

p/p





Piercing unit

Art.nr.: 00005917

Frames

1A

Weight: 10 KG





Pearlbl. stainl. steel

Art.nr.: 00015673

2A

Weight: 25 KG



Pearlbl. stainl. steel

Art.nr.: 00015674

Subject to change. No liability is accepted for printing errors

10 HL SINGLE WALL


45° NW 25 - PED
Standard range

Catalogue

Frames

3A

Weight: 33 KG




Pearlbl. stainl. steel

Art.nr.: 00020093

3AA

Weight: 56 KG



Pearlbl. stainl. steel

Art.nr.: 00017647